YOUR CHOICE

your style, your comfort, your health.



GRADE B

INSIGHT ORIGIN FUSE PERK BANGLE

GRADE D

CANTER EPU GRAPH

GRADE F

BEELINE EPU

2019





Width - Pattern	Fiber Content & Backing	Finish	Abrasion (D.R.)	Light- fastness	Approx. Repeats	Cleaning Code	Grade
54" BANGLE	58% Post Consumer Recycled Polyester, 42% Polyester Acrylic Backing	None	51,000	(Cl. 4.5) 40 Hrs.		WS	В
54" BEELINE EPU	100% EPU Polyurethane Polyester Backing	None	900,000	(Cl. 4) 200 Hrs.		W BC (4:1)	F
54" CANTER EPU	100% EPU Polyurethane Polyester Backing	None	1,000,000	(Cl. 4) 200 Hrs.		W BC (4:1)	D
54" FUSE 从 A. 業 《 太 *	65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester Latex Backing	None	100,000	(Cl. 4.5) 40 Hrs.		WS	В
56" GRAPH	75% Repreve Post Consumer Polyester, 25% Polyester Acrylic Backing	None	170,000	(Cl. 5) 40 Hrs.	3 3/8" L, 7 1/2" W	W	D
54" INSIGHT 从A. **. @ 太.*	100% Post Consumer Recycled Polyester Acrylic Backing	None	192,000	(Cl. 5) 40 Hrs.	1/4" L, 1/2" W	WS	В
58" ORIGIN 从A ** @ 太*	100% Post Consumer Recycled Polyester Acrylic Backing	None	282,000	(Cl. 4) 40 Hrs.		WS	В
54" PERK 从丛 ** 《 · · · *	50% Post Consumer Recycled Polyester, 50% Polyester Acrylic Backing	None	102,000	(Cl. 5) 40 Hrs.	1/4" L, 1/4" W	WS	В

 * ACT® Registered Certification Marks These fabrics when used with proper components are compatible with California Technical Bulletin 133.



GREENGUARD Gold Certified. CA Section 01350 compliant. Eligible for CHPS Low-Emitting Material Credits.



In 5 simple clicks, you can find hundreds of pre-approved, in grade, and in stock fabrics.



800-366-6839 memosamples.com